



Designing environments

How wayfinding, visual design, and IA shape our experience

Leah Ferguson
Keynote






Wayfinding



Wayfinding is a
user-centric approach
to spatial organization

...the ability to determine a route, learn it, and retrace or reverse it from memory through **the acquisition of environmental knowledge.**


Reginald Golledge, Geographer




**Cognitive &
behavioural**

Emotional


Physical




Path




Edge




District




Node




Landmark






Landmark

CN Tower



Landmark
CN Tower


Edge
Harbour /
Lake Ontario



Path
Yonge Street

Landmark
CN Tower

Edge
Harbour /
Lake Ontario




Node
Yonge &
Dundas

Path
Yonge Street

Landmark
CN Tower

Edge
Harbour /
Lake Ontario



Node
Yonge &
Dundas

District
Distillery
District

Path
Yonge Street

Landmark
CN Tower

Edge
Harbour /
Lake Ontario

← **E** 70-75  1 min


↑  Duty Free
Hors taxes

 Premium Lounge
Salon de Jour

E 80-97  1 min →

↑  Information
Salon







District
Terminal E



Edge
Flooring change

Path

Path

Node













The 3 Cs




Connectivity

Does the wayfinding system deliver the right message at the right location at the right time?




Connectivity

Does the wayfinding system deliver the right message at the right location at the right time?




Continuity

Does the wayfinding system provide continuity in a diverse architectural environment as people navigate from one space to another?



Connectivity

Does the wayfinding system deliver the right message at the right location at the right time?




Continuity

Does the wayfinding system provide continuity in a diverse architectural environment as people navigate from one space to another?



Consistency

Does the wayfinding system communicate information in a consistent manner throughout the journey?



- ▲ SE 2333-2375
- SW 2300-2332
- 🌸 Wellness
- ♿ Restrooms
- 🏢 Training Rooms
- > West Entrance
- Parking
- ◀ NW 2169-2175
- NE 2201-2276
- East Entrance
- Campus Amenities





- 2311-2315
- 2316-2320
- 2321-2325
- 2326-2330
- 2331-2335
- 2336-2340
- 2341-2345
- 2346-2350
- 2351-2355
- 2356-2360
- 2361-2365
- 2366-2370
- 2371-2375
- 2376-2380
- 2381-2385
- 2386-2390
- 2391-2395
- 2396-2400

SE

2333-2337 >

2341-2347 >



Typography

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890 !@#\$%^&*()

ADA COMPLIANCE GOTHAM MEDIUM

 <p>I TEST ADA 703.5.7</p> <p>O TEST ADA 703.5.4</p>	 <p>I TEST ADA 703.5.7</p> <p>O TEST ADA 703.5.4</p>
<p>✘ 703.2 RAISED CHARACTERS</p>	<p>✔ 703.5 VISUAL CHARACTERS</p>

703.5.4 Character Proportions.

Characters shall be selected from fonts where the width of the uppercase letter “O” is 55 percent minimum and 110 percent maximum of the height of the uppercase letter “I”.

703.5.7 Stroke Thickness.

Stroke thickness of the uppercase letter “I” shall be 10 percent minimum and 30 percent maximum of the height of the character.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 !@#\$%^&*()

Exterior & Parking Use

Long reading distance. Suitable for building announcers, supergraphics, and placemaking opportunities.

Mixed Interior and Exterior & Parking Use

Suitable for large scale directional signs and vehicular signs.

Interior Use

Suitable for maps, directory, or messages on directional signs.

LETTER HEIGHT

60"

48"

36"

15"

12"

9"

6"

4"

3"

2"


1"



1130'
(1/5 of a mile)

1500'

1800+



440'

395'

300'
(Football field length)



150'


113'

74'-100'

49'


25'


1 sq. foot




LEGIBLE VIEWING DISTANCE

Based on Best Practices; legible distances may vary depending on lighting conditions, contrast, and viewer's visual acuity.







Typical color vision







Protanopia
simulated




Deuteranopia
simulated

- 

SE 2333–2375
- SW 2300–2332**
- 
Wellness
- 
Restrooms
- 
Training Rooms
- West Entrance**
Parking
- 

NW 2169–2175
- NE 2201–2276**
- East Entrance**
Campus Amenities






AIGA/DOT Symbols
for Transportation




Symbols have
meaning and
representation

Primary



Check-in




Exit

App-Based Rides

Parking & Hotel Shuttles

1/4"

Secondary



Elevator



Restrooms



Check in 5 Structural impact.

leave as is.

Restrooms

leave as is.
6' width ceiling
messages will not fit

Repetition of messages should be removed to both reduce confusion and in order for messaging to fit

Check in 4

should be fine

B5.4a 216 203

B1.4a 214 207

Split
ie from before

AirTrain Departures

along the walking

B5.4a 214 203

212 207
up to
at max width

212 207
see markings
align AT

as is

Blanket
Remove
Approved
rider

B1.10 214 201

B5.3b 214 205

Discuss
major concern

212 207
Side 13
Remove
from gear.
meat & great
as walking

as it is in front of the
increase in size

Info Desk

B15 =
Levels
Guide
only

Check in 3

B5.4a 212 203

general
concern about
B5.3b along

210 209
max 12'

↑  Bag Claim 7 minute walk to A A Gates  ↑



